Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	91	pid and (dynamic\$5 real\$1time) and (linear with variable) and priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 20:30
L2	18552202	@ad<="19991202"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 18:11
В	49	L1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 18:11
L4	44	L3 and industrial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 18:11
L5	6	L4 and ((linear variable) with program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 18:11
L6	0	5 and background and foreground	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 18:12
L7	279	(background and foreground) with priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 18:13
L8	20	(background and foreground) with priority with (time period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 18:13

L9	13	2 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 20:00
L10	0	9 and (variables same linear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/12 18:28
L11	3	9 and dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/12 18:28
L12	j.	(US-5891178-\$).did.	USPAT	OR	OFF	2005/03/12 19:06
L13	1	12 and foreground and background	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 19:25
L14	1	12 and download\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 19:25
L15	1	(US-5347446-\$).did.	USPAT	OR	OFF	2005/03/12 19:26
L16	0	15 and download\$3	USPAT	OR	OFF	2005/03/12 19:51
L17	0	15 and restart\$3	USPAT	OR	OFF	2005/03/12 19:51
L18	1	15 and reset\$3	USPAT	OR	OFF	2005/03/12 19:51
L19	1	(US-5891178-\$).did.	USPAT	OR	OFF	2005/03/12 19:52
L20	1	19 and (reset\$3 start\$3 reset\$3)	USPAT	OR	ON	2005/03/12 19:53
L21	1	19 and (period time)	USPAT	OR	ON	2005/03/12 19:53
L22	1	19 and ((period time) same (foreground background))	USPAT	OR	ON	2005/03/12 19:54
L23	2	9 and ((restart\$3 reset\$3) with (background foreground))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 20:30

L24	1	3 and (pid with ratio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/03/12 20:30
L25	828	pid with ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 20:30
L26	432	2 and 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 20:37
L27	0	pid with (ratio adj block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 20:32
L28	11	pid same (ratio adj block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 20:42
L29	10	28 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2005/03/12 20:32
L30	101	control with (ratio adj block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 20:47
L31	1	30 and pid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	.2005/03/12 20:42

L32		31 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 20:42
L33	26	(ratio adj block) and pid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 20:48
L34	17	33 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/12 20:48
S1	1	("4796178").PN	USPAT; USOCR	OR	OFF	2003/03/05 19:32
S2	1	("5010482").PN.	USPAT; USOCR	OR	OFF	2003/03/05 19:23
S3	11957	(control adj (computer or process or program or processing or processor)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/05 19:35
S4	9155	((control adj (computer or process or program or processing or processor)).ti.) and @ad<="19991202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/05 19:36
S5	1634	(((control adj (computer or process or program or processing or processor)).ti.) and @ad<="19991202") and execut\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2003/03/05 19:38
S6	130	((((control adj (computer or process or program or processing or processor)).ti.) and @ad<="19991202") and execut\$6) and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/05 19:38
S7	11	(((((control adj (computer or process or program or processing or processor)).ti.) and @ad<="19991202") and execut\$6) and priority) and linear	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/05 19:38

S8	12	(((control adj (computer or process or program or processing or processor)).ti.) and @ad<="19991202") and multi\$1variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/05 19:47
S9	821	(((control adj (computer or process or program or processing or processor)).ti.) and @ad<="19991202") and level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/09 19:44
S10	3	((((control adj (computer or process or program or processing or processor)).ti.) and @ad<="19991202") and multi\$1variable) and tasks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/09 19:44
S11	4	(US-4796178-\$ or US-5010482-\$ or US-6249712-\$ or US-5481716-\$).did.	USPAT	OR	OFF	2003/03/06 11:44
S12	3	(control adj processor) and tasks and industrial and multi\$1variable and @ad<="19991202"	USPAT	OR	ON	2003/03/06 11:48
S13	3	(control adj processor) and tasks and industrial and multi\$1variable and @ad<="19991202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/06 12:06
S14	1	(US-6330483-\$).did.	USPAT	OR	OFF	2003/03/07 14:53
S15	577	(control adj systems) and ((high\$3 adj priority) with device) and @ad<="19991202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2003/03/08 14:55
S16	95	((control adj systems) and ((high\$3 adj priority) with device) and @ad<="19991202") and (control adj blocks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/08 14:56
S17	75	(((control adj systems) and ((high\$3 adj priority) with device) and @ad<="19991202") and (control adj blocks)) and tasks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2003/03/08 14:57
S18	15	((((control adj systems) and ((high\$3 adj priority) with device) and @ad<="19991202") and (control adj blocks)) and tasks) and supervis\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/08 14:57

S19	10	(US-4796178-\$ or US-5010482-\$ or US-6249712-\$ or US-5481716-\$ or US-6330483-\$ or US-6182203-\$ or US-5068850-\$ or US-4786847-\$ or US-3725864-\$).did.	USPAT	OR	OFF	2003/03/09 13:05
S20	2	((US-4796178-\$ or US-5010482-\$ or US-6249712-\$ or US-5481716-\$ or US-6330483-\$ or US-6182203-\$ or US-5068850-\$ or US-4786847-\$ or US-3725864-\$).did.) and foreground and background	USPAT	ÖR	ON	2003/03/09 14:04
S21	10	(control adj system) and (re\$1commenc\$4 with task) and @ad<="19991202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/09 14:28
S22	1	("6330483").PN.	USPAT; USOCR	OR	OFF	2003/03/09 19:44
S23	11	(US-4796178-\$ or US-5010482-\$ or US-6249712-\$ or US-5481716-\$ or US-6330483-\$ or US-6182203-\$ or US-5068850-\$ or US-4786847-\$ or US-3725864-\$ or US-4788647-\$).did.	USPAT	OR	OFF	2003/03/09 17:35
S24	2	((US-4796178-\$ or US-5010482-\$ or US-6249712-\$ or US-5481716-\$ or US-6330483-\$ or US-6182203-\$ or US-5068850-\$ or US-5182800-\$ or US-4786847-\$ or US-3725864-\$ or US-4788647-\$).did.) and workstation	USPAT	OR	ON	2003/03/09 17:35
S25	1	(("6330483").PN.) and (embed\$5 with task)	USPAT	OR	ON	2003/03/09 18:38
S26	1	((US-4796178-\$ or US-5010482-\$ or US-6249712-\$ or US-5481716-\$ or US-6330483-\$ or US-6182203-\$ or US-5068850-\$ or US-5182800-\$ or US-4786847-\$ or US-3725864-\$ or US-4788647-\$).did.) and PID	USPAT	OR	ON	2003/03/09 18:41
S27	2	((US-4796178-\$ or US-5010482-\$ or US-6249712-\$ or US-5481716-\$ or US-6330483-\$ or US-6182203-\$ or US-5068850-\$ or US-4786847-\$ or US-3725864-\$ or US-4788647-\$).did.) and ratio	USPAT	OR	ON	2003/03/09 18:56
S28	8	(ratio adj block) and (control adj processor) and @ad<="19991202"	USPAT	OR	ON	2003/03/09 18:57
S29	1	(US-6330483-\$).did.	USPAT	OR	OFF	2003/11/30 13:59

S30	1	((US-6330483-\$).did.) and (configur\$4 set\$4)	USPAT	OR	ON	2003/11/30 12:46
S31	1	((US-6330483-\$).did.) and period	USPAT	OR	ON	2003/11/30 12:27
S32	1109	(709/1-108.ccls.) and (control adj (process\$4 system program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 13:39
S33	894	((709/1-108.ccls.) and (control adj (process\$4 system program))) and @ad<="19991202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 12:48
S34	452	(((709/1-108.ccls.) and (control adj (process\$4 system program))) and @ad<="19991202") and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 12:31
S35	250	((((709/1-108.ccls.) and (control adj (process\$4 system program))) and @ad<="19991202") and priority) and (execut\$4 with tasks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 12:34
S36	43	(((((709/1-108.ccls.) and (control adj (process\$4 system program))) and @ad<="19991202") and priority) and (execut\$4 with tasks)) and (low adj priority) and (high adj priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 12:38
S37	0	((((((709/1-108.ccls.) and (control adj (process\$4 system program))) and @ad<="19991202") and priority) and (execut\$4 with tasks)) and (low adj priority) and (high adj priority)) and multi\$1variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 12:38
S38	1	((US-6330483-\$).did.) and (configur\$4 set\$4) and priority	USPAT	OR	ON	2003/11/30 12:46
S39	2	(709/1-108.ccls.) and (control adj (process\$4 system program)) and multi\$1variable and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 13:17
S40	2	((709/1-108.ccls.) and (control adj (process\$4 system program)) and multi\$1variable and priority) and @ad<="19991202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 13:18

S41	166	(control adj (process\$4 system program)) and multi\$1variable and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 13:18
S42	102	((control adj (process\$4 system program)) and multi\$1variable and priority) and @ad<="19991202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 13:21
S43	2	(((control adj (process\$4 system program)) and multi\$1variable and priority) and @ad<="19991202") and ((low\$2 and high\$2) adj priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 13:19
S44	23	(((control adj (process\$4 system program)) and multi\$1variable and priority) and @ad<="19991202") and (low\$4 same (period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 13:38
S45	1	(configur\$5 adj period) same (low adj priority)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 13:39
S46	198	(configur\$5 adj period) and @ad<="19991202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 13:39
S47	5	(709/1-108.ccls.) and ((configur\$5 adj period) and @ad<="19991202")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 13:39
S48	1	((US-6330483-\$).did.) and priority	USPAT	OR	ON	2003/11/30 13:59
549	1	("5600789").PN.	USPAT; USOCR	OR	OFF	2003/11/30 14:13
S50	1	("5862377").PN.	USPAT; USOCR	OR	OFF	2003/11/30 14:13
S51	1	("5625823").PN.	USPAT;	OR	OFF	2003/11/30 14:13
1001	1	(3023023 J.F.N.	USOCR		011	2003/11/30 14.13
S52	1	("5696914").PN	USPAT; USOCR	OR	OFF	2003/11/30 14:13
S53	1	("0001234").PN.	USPAT; USOCR	OR	OFF	2003/11/30 14:13
S54	4	(("5600789").PN.) (("5862377"). PN.) (("5625823").PN.) (("5696914").PN.)	USPAT	OR	OFF	2003/11/30 14:14

S55	1	(("5696914").PN.) and child	USPAT	OR	OFF	2003/11/30 14:16
S56	13	child adj widget	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 14:16
S57	4	(child adj widget) same (parent group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/30 14:16
S58	455	(configurable with (cycle period)) and @ad<="19991202"	USPAT	OR	ON	2003/12/11 16:29
S59	183	((configurable with (cycle period)) and @ad<="19991202") and priority	USPAT	OR	ON	2003/12/11 16:29
S60	47	((configurable with (cycle period)) and @ad<="19991202") and (first with priority)	USPAT	OR	ON	2003/12/11 16:29
S61	0	(((configurable with (cycle period)) and @ad<="19991202") and priority) and (control adj process\$4).ti.	USPAT	OR	ON	2003/12/11 16:30
S62	3	(((configurable with (cycle period)) and @ad<="19991202") and priority) and (control adj process\$4).ab.	USPAT	OR	ON	2003/12/11 16:30
S63	41	(((configurable with (cycle period)) and @ad<="19991202") and priority) and (control adj process\$4)	USPAT	OR	ON	2003/12/11 16:35
S64	3	(((configurable with (cycle period)) and @ad<="19991202") and priority) and (priority same (control adj process\$4))	USPAT	OR	ON	2003/12/11 16:33
S65	40	((((configurable with (cycle period)) and @ad<="19991202") and priority) and (control adj process\$4)) and execut\$5	USPAT	OR	ON	2003/12/11 16:35
S66	39	(((((configurable with (cycle period)) and @ad<="19991202") and priority) and (control adj process\$4)) and execut\$5) and device	USPAT	OR	ON	2003/12/11 16:36
S67	38	((((((configurable with (cycle period)) and @ad<="19991202") and priority) and (control adj process\$4)) and execut\$5) and device) and blocks	USPAT	OR	ON	2003/12/11 16:36

S68	34	(((((((configurable with (cycle period)) and @ad<="19991202") and priority) and (control adj process\$4)) and execut\$5) and device) and blocks) and tasks	USPAT	OR	ON	2003/12/11 16:36
S69	23	((((((((configurable with (cycle period)) and @ad<="19991202") and priority) and (control adj process\$4)) and execut\$5) and device) and blocks) and tasks) and distributed	USPAT	OR	ON	2003/12/11 16:38
S70	3	(((((configurable with (cycle period)) and @ad<="19991202") and priority) and (control adj process\$4)) and execut\$5) and (709/100-108.ccls.)	USPAT	OR	ON	2003/12/11 16:38
S71	3	((((configurable with (cycle period)) and @ad<="19991202") and priority) and (control adj process\$4)) and (709/100-108. ccls.)	USPAT	OR	ON	2003/12/11 16:38
S72	1	(US-6330483-\$).did.	USPAT	OR	OFF	2003/12/11 17:20
S73	0	((US-6330483-\$).did.) and procesor	USPAT	OR	OFF	2003/12/11 17:31
S74	0	((US-6330483-\$).did.) and procesors	USPAT	OR	OFF	2003/12/11 17:20
S75	0	((US-6330483-\$).did.) and processor	USPAT	OR	OFF	2003/12/11 17:23
S76	14	(US-5010482-\$ or US-4796178-\$ or US-6249712-\$ or US-6330483-\$ or US-6182203-\$ or US-5068850-\$ or US-4788647-\$ or US-5182800-\$ or US-4786847-\$ or US-3725864-\$ or US-5423076-\$ or US-5504897-\$ or US-6101599-\$).did.	USPAT	OR	OFF	2003/12/11 17:21
S77	10	((US-5010482-\$ or US-4796178-\$ or US-6249712-\$ or US-6330483-\$ or US-6182203-\$ or US-5068850-\$ or US-4788647-\$ or US-5182800-\$ or US-4786847-\$ or US-3725864-\$ or US-5423076-\$ or US-5504897-\$ or US-6101599-\$).did.) and processor	USPAT	OR	OFF	2003/12/11 17:23

S78	14	((US-5010482-\$ or US-4796178-\$ or US-6249712-\$ or US-6330483-\$ or US-6182203-\$ or US-5068850-\$ or US-4788647-\$ or US-5182800-\$ or US-4786847-\$ or US-3725864-\$ or US-5423076-\$ or US-5504897-\$ or US-6101599-\$).did.) and process\$4	USPAT	OR	OFF	2003/12/11 17:23
S79	1	((US-6330483-\$).did.) and process\$4	USPAT	OR	OFF	2003/12/11 17:23
S80	1	((US-6330483-\$).did.) and device	USPAT	OR	ON	2003/12/11 17:31
S10 8	14	(US-3725864-\$ or US-4786847-\$ or US-4788647-\$ or US-4796178-\$ or US-5010482-\$ or US-5068850-\$ or US-5182800-\$ or US-5423076-\$ or US-5481716-\$ or US-5504897-\$ or US-6101599-\$ or US-6182203-\$ or US-6249712-\$ or US-6330483-\$).did.	USPAT	OR	OFF	2005/03/11 14:38
S10 9	2	S108 and pid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:39
S11 0	1	S109 and (dynamic\$5 real\$1time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:39
S11 1	91	pid and (dynamic\$5 real\$1time) and (linear with variable) and priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:40
S11 2	18552202	@ad<="19991202"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:41
S11 3	49	S111 and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:30

S11 4	44	S113 and industrial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:31
S11 5	1	S114 and (priority with (executing execution))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:31
S11 6	6	S114 and ((linear variable) with program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:32